

Sheet1

DAC-PNP			cur_koef	delta I/count	Obratno	%
R-1, Ic,mA						
4048	6.41	step/500cnt	#VALUE!	0.0015825	6.40596	-0.06
3548	5.62	0.79	0.00158		5.61471	-0.09
3048	4.83	0.79	0.00158		4.82346	-0.14
2548	4.04	0.79	0.00158		4.03221	-0.19
2048	3.25	0.79	0.00158		3.24096	-0.28
1548	2.46	0.79	0.00158		2.44971	-0.42
1048	1.67	0.79	0.00158		1.65846	-0.69
548	0.88	0.79	0.00158		0.86721	-1.45
48	0.08	0.8	0.0016		0.07596	-5.05
R-0, Ic,mkA						
4048	205.9	step/500cnt	#VALUE!	0.05085	205.8408	-0.03
3548	180.6	25.3	0.0506		180.4158	-0.10
3048	155.2	25.4	0.0508		154.9908	-0.13
2548	130	25.2	0.0504		129.5658	-0.33
2048	104.5	25.5	0.051		104.1408	-0.34
1548	79.1	25.4	0.0508		78.7158	-0.49
1048	53.7	25.4	0.0508		53.2908	-0.76
548	28.2	25.5	0.051		27.8658	-1.19
48	2.5	25.7	0.0514		2.4408	-2.37
R-2, Ic,mA						
4048	200	step/500cnt	#VALUE!	0.0494025	199.98132	-0.01
3548	176.2	23.8	0.0476		175.28007	-0.52
3048	151.9	24.3	0.0486		150.57882	-0.87
2548	127.4	24.5	0.049		125.87757	-1.20
2048	102.6	24.8	0.0496		101.17632	-1.39
1548	77.6	25	0.05		76.47507	-1.45
1048	52.8	24.8	0.0496		51.77382	-1.94
548	27.56	25.24	0.05048		27.07257	-1.77
48	2.39	25.17	0.05034		2.37132	-0.78

DAC-NPN			cur_koef	Intercept	Obratno	%
R-1, Ic,mA						
48	6.43	step/500cnt	#VALUE!	0.0015975	6.4299375	0.00
548	5.63	0.8	0.0016		5.6311875	0.02
1048	4.82	0.81	0.00162		4.8324375	0.26
1548	4.03	0.79	0.00158		4.0336875	0.09
2048	3.23	0.8	0.0016		3.2349375	0.15
2548	2.43	0.8	0.0016		2.4361875	0.25
3048	1.63	0.8	0.0016		1.6374375	0.46
3548	0.84	0.79	0.00158		0.8386875	-0.16
4048	0.04	0.8	0.0016		0.0399375	-0.16
R-0, Ic,mkA						
48	206.1	step/500cnt	#VALUE!	0.0512	206.08	-0.01

Sheet1

548	180.2	25.9	0.0518	180.48	0.16
1048	154.5	25.7	0.0514	154.88	0.25
1548	129.1	25.4	0.0508	129.28	0.14
2048	103.4	25.7	0.0514	103.68	0.27
2548	77.7	25.7	0.0514	78.08	0.49
3048	52.3	25.4	0.0508	52.48	0.34
3548	26.8	25.5	0.051	26.88	0.30
4048	1.3	25.5	0.051	1.28	-1.54

R-2, Ic, mA

48	200	step/500cnt	#VALUE!	0.04969	200.00225	0.00
548	175.9	24.1	0.0482		175.15725	-0.42
1048	151.2	24.7	0.0494		150.31225	-0.59
1548	126.7	24.5	0.049		125.46725	-0.97
2048	101.7	25	0.05		100.62225	-1.06
2548	76.6	25.1	0.0502		75.77725	-1.07
3048	51.6	25	0.05		50.93225	-1.29
3548	26.39	25.21	0.05042		26.08725	-1.15
4048	1.24	25.15	0.0503		1.24225	0.18
