



TEAC SCHEMATIC DIAGRAM W-700R CONTROL SECTION


EUR, AUS




UK




JPN




USA, CND



EX



FRONT



CONTROL PCB


INSTRUCTIONS FOR SERVICE PERSONNEL
BEFORE RETURNING APPLIANCE TO THE CUSTOMER, MAKE LEAKAGE-CURRENT OR RESISTANCE MEASUREMENTS TO DETERMINE THAT EXPOSED PARTS ARE ACCEPTABLY INSULATED FROM THE SUPPLY CIRCUIT.

NOTES:

1. Resistor values are in ohms (k=kilo-ohms, M=megohms).
2. Capacitor values are in microfarads (p=picofarads).
3. Δ Parts marked with this sign are safety critical components. They must always be replaced with identical components-refer to the appropriate parts list and ensure exact replacement.


注意

1. 抵抗の単位は Ω (k=k Ω , M=M Ω) です。
2. コンデンサの単位は μ F (p=pF) です。
3. Δ マークのある部品は安全規格重要部品です。交換するときは必ずテック指定の部品を使用してください。



注意

1. 抵抗の単位はΩ (k = kΩ, M = MΩ) です。
 2. コンデンサの単位はμF (p = pF) です。
 3. △マークのある部品は安全規格重要部品です。
- 交換するときは必ずテック指定の部品を使用してください。



W-700R

Double Auto Reverse Cassette Deck


1 st Issue; September 1993

TEAC SCHEMATIC DIAGRAM W-700R R/P AMP SECTION

1 2 3 4 5

A


DECK I



B

C

DECK II



D

E

F


G


H

INSTRUCTIONS FOR SERVICE PERSONNEL
BEFORE RETURNING APPLIANCE TO THE CUSTOMER, MAKE LEAKAGE-CURRENT OR RESISTANCE MEASUREMENTS TO DETERMINE THAT EXPOSED PARTS ARE ACCEPTABLY INSULATED FROM THE SUPPLY CIRCUIT.

注意
1. 抵抗の単位はΩ (k = kΩ, M = MΩ) です。
2. コンデンサの単位はμF (p = pF) です。
3. △マークのある部品は安全規格重要部品です。
交換するときは必ずテック指定の部品を使用してください。


NOTES:
1. Resistor values are in ohms (k=kilo-ohms, M=megohms).
2. Capacitor values are in microfarads (μ=picofarads).
3. △ Parts marked with this sign are safety critical components. They must always be replaced with identical components refer to the appropriate parts list and ensure exact replacement.





NOTES:

1. Resistor values are in ohms (k=kilo-ohms, M=megohms).
2. Capacitor values are in microfarads (p=picofarads).
3. Δ Parts marked with this sign are safety critical components. They must always be replaced with identical components; refer to the appropriate parts list and ensure exact replacement.



W-700R

Double Auto Reverse Cassette Deck

1st Issue; September 1993